

BLDC PUMP



T Series



S Series



A Series

DC50K series has three sub-series. T series is common two phase series with general performance. S and A series are high performance sub-series, which we called three phase series. S series is speed fixed and A series is speed adjustable. Be note, all sub-series use common DC power supply.

Main Features

- Brushless DC motor, also known as EC motor; Magnetic Driven;
- Small size but strong; Low consumption & High Efficiency;
- Long time continuous working, lifespan about 30000 hours;
- Safety - no spark, Explosion - proof; Low noise about 40dB;
- Submersible, 100% waterproof;
- Wide range of working voltage; Maintenance - free;
- Can be used to pump water, oil, acid and alkali solution;
- Variety Power: DC electric source, Battery or Solar Panel;
- Soft Start with Low in-rush current, great for Soalr SYS; (only S and A series)

Specifications

Inlet (Outer diameter): 14 mm

Outlet (Outer diameter): 14 mm

Material: PA66 + 30% glass fiber (optional)


Weight: about 600 g

Max working temperature: 60°C for T series, 100°C for S & A series

Speed Control: Potentiometer, Analog signal or PWM (only A series)

Program Control or protection: Optional (only S & A series)

Speed adjust & Control Box



Speed adjust way (only A series):


1. default: by potentiometer or 0-5V analog signal;
2. by PWM (50-800 HZ Amplitude 5V)

Connection: connect the black wire to ground lead and yellow wire to the signal of your system.

Hang the red wire in the air.

Three-phase DC pump controller (only S & A series): All electronic components are put inside of the control box, and separated from pump body, so pump body can bear higher hot water (100°C max)

Model Code




Model List

Model	Voltage (V)	Current (A)	Max flow (L/H)	Max head (M)
DC50K-1260T DC50K-1260S DC50K-1260A	12	2.0	900	6
DC50K-12120S DC50K-12120A	12	4.5	1260	12
DC50K-2490T DC50K-2490S DC50K-2490A	24	2.0	1080	9
DC50K-24160S DC50K-24160A	24	3.6	1380	16

Tips:

We offer customized service according to your specific needs at a reasonable price.

Performance Curve



Dimensions

